PORTABLE 3G/WIFI AP



MT4220

User Manual

EN

Overview



	Name	Status	Description
1	Standard SIM card slot		Support 3G/2G standard SIM card.
2	TF card slot		Support Micro SD card
3	Standard USB interface		Connect power adaptor, car charger or computer.
4	3G status indicator Green	Always on	Indicate failed to connect 3G/2G network (network signal is weak or SIM card can't be detected.)
		Flash slowly	Indicate 3G/2G network is founded, but is not connected.
		Flash quickly	Indicate 3G/2G network is connected successfully.
5	WiFi status indicator Red	Always on	Indicate WiFi starts up normally.
		Flash	Indicate some terminals connect to WiFi successfully.
		Always off	Indicate working in Dongle mode or WiFi works abnormally.

Operating modes

There are two working modes: “dongle”and “WiFi”. Please note that device can work only in one selected mode.

- Device can work as standard 3G USB modem with one PC computer – “dongle mode”.



- Device can work as 3G WiFi Access Point, you only need to provide power supply DC 5V like USB power adaptor, USB car charger or USB port in your PC. Device will broadcast WiFi network with internet access for multiple users.



EN

“Dongle” mode configuration

1. Plug device into USB port of your PC computer. Allow to open “setup.exe” file. Installation process will proceed automatically.


Autoodtwarzanie
Stacja dysków CD (I:) HSPA USB Modem
Zawsze wykonuj tę czynność dla zawartości typu o
Zainstaluj lub uruchom program z nośnika
Uruchom: Setup.exe
Nie określono wydawcy
Ogólne — opcje
Otwórz folder, aby wyświetlić pliki
przy użyciu: Eksplorator Windows
Wyświetl więcej opcji autoodtwarzania w Panelu sterowania

2. Follow on screen messages to finish installation.

Setup - HSPA USB Modem
Welcome to the HSPA USB Modem Setup Wizard
This will install HSPA USB Modem on your computer.
It is recommended that you close all other applications before continuing.
Click Next to continue, or Cancel to exit Setup.
Next >
Cancel


Setup - HSPA USB Modem
Installing
Please wait while Setup installs HSPA USB Modem on your computer.
Extracting files...
C:\Program Files\HSPA USB Modem\Skin\sms\sms_tree.bmp


Setup - HSPA USB Modem
Completing the HSPA USB Modem Setup Wizard
Setup has finished installing HSPA USB Modem on your computer. The application may be launched by selecting the installed icons.
Click Finish to exit Setup.
Launch HSPA USB Modem
Finish

3. Now click "Settings" icon.



4. Select "Network" tab, click "New" and enter parameters that you receive from your SIM card provider and click "OK".

Following picture is for reference only.



Now click big "Connect" button to connect to internet network.

EN

5. If you want to switch device into “WiFi” mode go to”Settings/Mode” and select “WiFi mode” and click “OK”.

“WiFi” mode configuration

Note! Before proceeding make sure that you have switched device into “WiFi mode” as described above.

1. Plug device to USB power supply, use PC computer and scan for new WiFi networks, connect to “3G uFi_XXXX” network (enter default password when prompted “1234567890”). Now use your web browser and enter following address http://192.168.100.1

   Enter default username “admin”
   Enter default password ”admin”



2. Now go to "3G setting" tab



3. Now select "APN settings" and enter parameters provided by your SIM card operator.



Go to "Connection mode" – automatic is by default.



If you want to change password and encryption type of broadcasted WiFi network go to "WiFi Settings/WiFi security".

Note! When new setting are applied device will reboot, remember to scan for WiFi networks again and enter new password.



EN

4. Now go to „HOME" tab and click "Connect" button.



You can monitor connection status using „HOME" tab, other options can be viewed in "STATUS" tab.

Due to continuous development specification and appearance of product are subject to change without prior notice. For technical support please visit www.media-tech.eu.

АГ92